

*

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name	: AVERY DENNISON FLAT SURFACE CLEANER
Product code	: 09101030, CB1380001
UFI	: 526U-0EMA-2530-5UP8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ap	nlı	റവ	tinr
ΠP	pii	ua	uoi

: SU22 Professional use. For industrial or institutional use. PC35 Cleaning agent. Other cleaning, n care and maintenance products (excludes biocidal products).

1.3. Details of the supplier of the safety data sheet

Supplier	: Avery Dennison Graphics Solutions Willem Einthovenstraat 11
	2342 BH Oegstgeest, The Netherlands
Telephone	: +31-85000 2000
E-mail	: gs.msds@eu.averydennison.com
Website	: www.graphics.averydennison.eu

1.4. Emergency telephone number

EMERGENCY TELEPHON NL - Telephone	NE NUMBER, for DOCTORS/ : +31-85000 2000	FIRE BRIGADE/POLICE only:	(24/7)
EMERGENCY TELEPHON	NE NUMBER (for DOCTORS	only):	(24/7)
National Poisons Informati	on Service	+44 344 892 0111	

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC)	:	Skin irritation, category 2. Eye irritation, category 2.
Human health hazards Physical/chemical hazards Environmental hazards	:	Causes skin irritation. Causes serious eye irritation. Not classified as dangerous according to statutory EC-Directives. Combustible. Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/ Hazard pictograms	EC): :	
Signal word	: Warning	
H- and P-phrases	: H315 H319 P280 hands eyes P337+P313	Causes skin irritation. Causes serious eye irritation. Wear protective gloves and eye protection. If eye irritation persists: Get medical advice/attention.



*

2.3. Other hazards

Other information

: Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.		EC number	Remark	REACH nr.
2-Butoxyethanol	10 - < 20	111-76-	2	203-905-0		
2-aminoethanol	0,1 - < 1	141-43-	5	205-483-3		
Substance name	Hazard Class		H-phra	ses	Pictograms	
2-Butoxyethanol		2; Eye Irrit. 2; Acute		H315; H319;	GHS07	
2-aminoethanol	Tox. 4; Skin Co	· ·		H312; H314; H335	GHS05; GHS07	H335 : C >= 5 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures Inhalation Skin contact	 Move victim into fresh air. Consult a doctor if victim feels unwell. Take off contaminated clothing. Wash off skin with plenty of water before product dries up. Consult a doctor if irritation persists.
Eye contact Ingestion	 Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor. Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms		
Inhalation	:	May cause headache, dizziness and a feeling of sickness.
Skin contact	:	Irritant. May cause dry skin and redness.
Eye contact	:	Irritant. May cause redness and pain.
Ingestion	:	May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES



5.1. Extinguishing media

Extinguishing media	
Suitable	: Carbondioxide (CO2). Foam. Dry chemical. Water fog.
Not suitable	: None known.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards	:	None known.
Hazardous thermal	:	Carbon monoxide may be evolved if incomplete combustion occurs.
decomposition products		

5.3. Advice for firefighters

Special protective : Use adequate respiratory equipment in case of insufficient ventilation. equipment for fire-fighters

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	: Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with
	spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves
	risk of suffocation.

6.2. Environmental precautions

Environmental precautions	:	Avoid release of product into sewers, surface water and/or ground water. In case of large spills:
		contain with dike.
Other information	:	Notify authorities if any exposure to the general public or the environment occurs or is likely to
		occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7	HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging	: Keep only in the original container.
Non recommended	: Steel (except stainless steel).
packaging	

7.3. Specific end use(s)

- Use
- : Use only as directed. Do not mix with other products.



*

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have limits not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour	STEL 15 min	Comments	Source
		(mg/m3)	(mg/m3)		
2-Butoxyethanol	EC	98	246	Skin	Directive 2000/39/EC
	GB	123	246	Skin; BMGV	
2-aminoethanol	EC	2,5	7,6	Skin	Directive 2006/15/EG
	GB	7,6	2,5	Skin	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of	DNEL, short-term		DNEL, long-term	
	exposure				
		Local effect	Systemic effect	Local effect	Systemic effect
2-Butoxyethanol	Inhalation Dermal	246 mg/m3	1091 mg/m3 89 mg/kg bw		98 mg/m3 125 mg/kg bw/day
2-aminoethanol	Dermal			2.2 mg/m2	1 mg/kg bw/day
	Inhalation			3,3 mg/m3	

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of	DNEL, short-t	erm DNEL, long-te	DNEL, long-term	
	exposure				
		Local effect	Systemic effect Local effect	Systemic effect	
2-Butoxyethanol	Dermal Inhalation Oral	147 mg/m3	89 mg/kg bw 426 mg/m3 26.7 mg/kg bw	75 mg/kg bw/day 59 mg/m3 6.3 mg/kg bw/day	
2-aminoethanol	Oral Oral Dermal Inhalation		2 mg/m3	3,75 mg/kg bw/day 0,24 mg/kg bw/day	

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
2-Butoxyethanol	Water	8.8 mg/l	0.88 mg/l	
	Sediment	34.6 mg/kg	3.46 mg/kg	
	Intermittent water			9,1 mg/l
	STP			463 mg/l
	Soil			2.33 mg/kg
	Oral			0.02 mg/kg food

8.2. Exposure controls

Engineering measures

: Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures

: When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.





Body protection	: Use of specific protective industrial clothing is not required for momentary use. Wear suitable protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345 in case of frequent or prolonged use and in case of large scale exposure. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.
Respiratory protection	: Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
Hand protection	: Wear appropriate safety gloves in accordance with EN 374. Suitable material: butyl. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection	: Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Colour	: Liquid. : Blue.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: 11	
Solubility in water	: Soluble.	. .
Partition coefficient (n-oc- tanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: 72 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 1,3 (2-Butoxyethanol)
	:	Upper explosion limit in air (%): 10,6 (2-Butoxyethanol)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 1 mm2/sec	(1 mm2/sec = 1cSt)
Viscosity (40°C)	: < 20,5 mm2/sec	
Vapour pressure (20°C)	: 2300 Pa	
Relative vapour density	: >1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Particle characteristics	: Not applicable.	

9.2. Other information

Other information

: Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity

: See sub-sections below.

*



*

10.2. Chemical stability

Stability	: Stable under normal conditions.					
10.3. Possibility of hazardous reactions						
Reactivity	: No other hazardous reactions known.					
10.4. Conditions to avoid						
Conditions to avoid	: See section 7.					
10.5. Incompatible materi	als					
Materials to avoid	: Keep away from oxidizing agents.					
10.6. Hazardous decompo	osition products					
Hazardous decomposition products	: Not known.					

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product. Inhalation

Innalation	
Acute toxicity	: Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
Corrosion/irritation	: Not classified - based on available data, the classification criteria are not met.
Sensitisation	: Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Skin contact	
Acute toxicity	: Calculated LD50: > 3623 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
Sensitisation	: Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
Eye contact	
Corrosion/irritation	: Irritant.
Ingestion	
Acute toxicity	: Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not expected to be an aspiration hazard. Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met.
Corrosion/irritation	: May cause a feeling of sickness, vomiting and diarrhoea.
Carcinogenicity	: Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.



Reprotoxicity

: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
2-Butoxyethanol	Eye irritation	Irritant	OECD 405	Rabbit
	LC50 (inhalation)	2200 mg/m3	OECD 403	Rat
	LD50 (dermal)	435 mg/kg bw	OECD 402	Rabbit
	NOAEL (inhalation)	152 mg/m3	OECD 413	Rat
	NOAEL (fertility, oral)	720 mg/kg bw/d		
	Genotoxicity - in vitro	Not genotoxic		
	NOEL (carcinogenicity,	Not carcinogenic		
	oral)			
	LD50 (oral)	1746 mg/kg bw	OECD 401	Rat
	NOAEL (dermal)	> 150 mg/kg bw/d	OECD 411	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (development,	> 100 mg/kg bw/d	OECD 414	Rat
	oral)			
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
	LD50 (oral) - estimate	1200 mg/kg bw		

11.2. Information on other hazards

Endocrine disrupting	: Not applicable.
properties	
Other information	: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product. Ecotoxicity : Calculated LC50 (fish): 2936 mg/l. Calcula

: Calculated LC50 (fish): 2936 mg/l. Calculated EC50 (waterflea): 907 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : Contains bioaccumulating substances.

12.4. Mobility in soil

Mobility

: If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

*



Endocrine disrupting : Not applicable. properties

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues	: Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as hazardous waste.
Additional warning	: None.
Waste water discharge	: Do not dispose of into the environment, drains, sewers or water courses. Avoid discharge of waste water arising from tank cleaning to the environment.
European waste catalogue	: Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation	 Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number or ID number

UN nr.

: None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railw	ay/inland waterways)
Class	: This product is not classified according to ADR/RID/ADN.
IMDG (sea)	
Class	: This product is not classified according to IMDG.
Marine pollutant	: No
IATA (air)	
Class	: This product is not classified according to IATA.
14.6. Special precautions for user	

Other information : Country specific variations may apply.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

*



*

Community regulations	: Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other	
	regulations.	

VOC-content (EC) : 126 g/l

Ingredient declaration according to Regulation EC 648/2004:

Contains:		Concentration (%)	
Perfumes, 2-Bromo-2-nitropropane-1,3-diol, Methylchloroisothiazolinone, Methylisothiazolinone.			
15.2. Chemical safety assessment			
Chemical safety	: Not applicable.		

Chemical safety assessment

nt

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

European Agreement concerning the International Carriage of Dangerous Goods by Road
Acute Toxicity Estimate
Classification, Labeling & Packaging
Carcinogenic, Mutagenic or toxic for Reproduction
European Economic Community
Globally Harmonized System of Classification and Labelling of Chemicals
International Air Transport Association
International Bulk Chemical Code
International Maritime Dangerous Goods Code
Lethal Dose/Concentration for 50% of a population
Maximum Allowable Concentration
International Convention for the Prevention of Pollution From Ships
No Observed (Adverse) Effect Level
Organisation for Economic Co-operation and Development
Persistent, Bioaccumulative and Toxic
Chemical product category
Product type
Registration, Evaluation, Authorisation and Restriction of Chemicals
Regulations concerning the International Carriage of Dangerous Goods by Rail
Sewage Treatment Plant
Sector of Use
Time-Weighted Average/Short Term Exposure Limit
United Nations
Unique formula identifier
Volatile Organic Compounds
Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.



Skin Irrit. 2	e classification according to Regulation (EC) No. 1272/2008: : Calculation method. : Calculation method.	
Skin Corr. 1A/B/C Skin Irrit. 2	 hentioned in section 3: Acute toxicity, category 4. Skin corrosive, category 1A/B/C. Skin irritation, category 2. Eye irritation, category 2. Specific target organ toxicity after single exposure, category 3. 	
Full text of H-phrases mentioned in section 3:		
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
Advice on any training appropriate for workers: none.		
Number format	: "," used as decimal separator.	

End of safety data sheet.

Print date : 2022-12-28